



CONFIGURATION

NOTES:

Modifier

- Stack height value in technical data table includes seal retainer plate.
- This installation requires a retainer and seal kit which are purchased separately. See "Related

Accessories" section.

- **Important:** Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

MODIFIER

(Y)

| | |
|------------|--|
| Y | 65-45-12 Ductile Iron, Viton, Dewatering Oil |
| | 6061-T651 Aluminum, Buna-N |
| I11 | 6061-T651 Aluminum, Buna-N, Clear Anodize - Per MIL SPEC 8625F Type II, Class I |
| I10 | 6061-T651 Aluminum, Buna-N, Black Anodize - Per MIL SPEC 8625F Type II, Class II |
| IV | 6061-T651 Aluminum, Viton |
| I16 | 6061-T651 Aluminum, Viton, Clear Anodize - Per MIL SPEC 8625F Type II, Class I |
| I15 | 6061-T651 Aluminum, Viton, Black Anodize - Per MIL SPEC 8625F Type II, Class II |
| IM | 6061-T651 Aluminum, Metric, Buna-N |
| I1B | 6061-T651 Aluminum, Metric, Buna-N, Clear Anodize - Per MIL SPEC 8625F Type II, Class I |
| I1A | 6061-T651 Aluminum, Metric, Buna-N, Black Anodize - Per MIL SPEC 8625F Type II, Class II |
| I2 | 6061-T651 Aluminum, Metric, Viton |
| I1G | 6061-T651 Aluminum, Metric, Viton, Clear Anodize - Per MIL SPEC 8625F Type II, Class I |
| I1F | 6061-T651 Aluminum, Metric, Viton, Black Anodize - Per MIL SPEC 8625F Type II, Class II |
| IS | 65-45-12 Ductile Iron, Buna-N, Dewatering Oil |
| IS4 | 65-45-12 Ductile Iron, Buna-N, Chem. Black |
| IS3 | 65-45-12 Ductile Iron, Buna-N, Trivalent Clear Zinc with Top Sealer |
| IY4 | 65-45-12 Ductile Iron, Viton, Chem. Black |
| IY3 | 65-45-12 Ductile Iron, Viton, Trivalent Clear Zinc with Top Sealer |
| IT | 65-45-12 Ductile Iron, Metric, Buna-N, Dewatering Oil |
| IT4 | 65-45-12 Ductile Iron, Metric, Buna-N, Chem. Black |
| IT3 | 65-45-12 Ductile Iron, Metric, Buna-N, Trivalent Clear Zinc with Top Sealer |
| IW | 65-45-12 Ductile Iron, Metric, Viton, Dewatering Oil |
| IW4 | 65-45-12 Ductile Iron, Metric, Viton, Chem. Black |
| IW3 | 65-45-12 Ductile Iron, Metric, Viton, Trivalent Clear Zinc with Top Sealer |