



3 4 6 3 5000psi(350 bar)

**TECHNICAL DATA** NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

	T-52A
	2
	80 L/min.
	350 bar
	10,5 bar
	0,82 cc
110 SUS (24 cSt)	30 cc/min. @70 bar
	28,6 mm
	61 - 68 Nm
Seal kit - Cartridge	Buna: 990-052-007
Seal kit - Cartridge	Viton: 990-052-006
Seal kit - Cartridge	Buna: 990-052-007
Seal kit - Cartridge	Viton: 990-052-006

# OPTION SELECTION EXAMPLE: DDDCXCN

	(X)	(C)	(N)	MATERIAL/COATING
<b>X</b>	<b>C</b>	<b>N</b>	<b>V</b>	Standard Material/Coating
	<b>B</b> B-T			<b>/AP</b>
	<b>D</b> P-A-B			
	<b>H</b>			
	<b>R</b> P-A-B			
	<b>T</b> P-T			
	<b>W</b> A B T			
	<b>Y</b> A-B-T			

## TECHNICAL FEATURES

- 5000psi 350bar x y 1 6
- 
- 
- Sun

## PERFORMANCE CURVES



