

DODD

60 L/min. / CAVITY: T-11A



sunhydraulics.com/model/DODD





TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

	T-11A
	1
	60 L/min.
	350 bar
	28 bar
	0,16 cc
110 SUS (24 cSt)	0,7 cc/min.@350 bar
	See Performance Data
	22,2 mm
	41 - 47 Nm
Seal kit - Cartridge	Buna: 990-011-007
Seal kit - Cartridge	Polyurethane: 990-011-002
Seal kit - Cartridge	Viton: 990-011-006
Seal kit - Cartridge	Buna: 990-011-007
Seal kit - Cartridge	Polyurethane: 990-011-002
Seal kit - Cartridge	Viton: 990-011-006

©2024 Sun Hydraulics 1 of 2

OPTION SELECTION EXAMPLE: DODDEHN



TECHNICAL FEATURES

• 1 2 5000 psi (350 bar) 400 psi (30 bar)

• 145 psi 10 bar

• SAE 4 10 / 0.7 cc/min Sun DAA*-***

• 1 2


• 1 2 5000psi 10 / 350bar 0,7 cc/min


• 1 2 3

• 5000 psi (350 bar)

Sun

PERFORMANCE CURVES





©2024 Sun Hydraulics 2 of 2