



TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

110 SUS (24 cSt)	30 cc/min.@70 bar
	2,5 mm
	33 N/100 bar @ Port 1
Seal kit - Cartridge	Buna: 990-411-007
Seal kit - Cartridge	Viton: 990-411-006

: • Sun

CONFIGURATION OPTIONS

Model Code Example: FMDAXCDN

(X)	(C)	(N)	
X	C .1 - 6 gpm (0,4 - 23 L/min.)	N	
D /	A .1 - 1.6 gpm (0,4 - 6.1 L/min.)	E EPDM	224NX01 DIN 43650 A 24 VDC (TVS) XMD-01
E ()	B .1 - 4 gpm (0,4 - 15 L/min.)	V	224NX02 DIN 43650 A 24 VDC (TVS) XMD-02
L	D .1 - 9 gpm (0,4 - 34 L/min.)		912NX01 Deutsch DT04-2P 12 VDC (TVS) XMD-01
M			912NX02 Deutsch DT04-2P 12 VDC (TVS) XMD-02
T ()			924NX01 Deutsch DT04-2P 24 VDC (TVS) XMD-01
			924NX02 Deutsch DT04-2P 24 VDC (TVS) XMD-02