



PROPORTIONAL PERFORMANCE DATA

	<4%
	<8%
	<2%
()	<2%
	140 Hz
	30%
Seal kit - Cartridge	Buna: 990-411-007
Seal kit - Cartridge	Viton: 990-411-006

TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

	T-11A
	1
	34 L/min.
110 SUS (24 cSt)	30 cc/min.@70 bar
	2,5 mm
	33 N/100 bar @ Port 1
	19 mm
	22,2 mm
	41 - 47 Nm
	0,50 kg
Seal and nut kit - Coil	Viton: 990-770-006
Seal kit - Cartridge	Buna: 990-411-007
Seal kit - Cartridge	Viton: 990-411-006

OPTION SELECTION EXAMPLE: FMDXCDN

	(X)	(C)	(N)
X		C .1 - 6 gpm (0,4 - 23 L/min.)	N
D /		A .1 - 1.6 gpm (0,4 - 6.1 L/min.)	E EPDM
E ()		B .1 - 4 gpm (0,4 - 15 L/min.)	V
L		D .1 - 9 gpm (0,4 - 34 L/min.)	
M			
T ()			
			224NX01 DIN 43650 A 24 VDC (TVS) XMD-01
			224NX02 DIN 43650 A 24 VDC (TVS) XMD-02
			912NX01 Deutsch DT04-2P 12 VDC (TVS) XMD-01
			912NX02 Deutsch DT04-2P 12 VDC (TVS) XMD-02
			924NX01 Deutsch DT04-2P 24 VDC (TVS) XMD-01
			924NX02 Deutsch DT04-2P 24 VDC (TVS) XMD-02

TECHNICAL FEATURES

- 2 3 1.5gpm 5L/min
- 2 3 4
- LR*C-XHN LP*C-XHN
- 5000psi 350bar
- SUN
- 100-250Hz
- "D" "L" "D" "E" "L" "T" 7000
- / "E" 90
- Sun

PERFORMANCE CURVES



