



PROPORTIONAL PERFORMANCE DATA

	6%
	<8%
	<2%
()	<2%
	140 Hz
Seal kit - Cartridge	Buna: 990-511-007
Seal kit - Cartridge	Viton: 990-511-006

TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

	T-11A
	1
	20 L/min.
	350 bar
110 SUS (24 cSt)	330 cc/min.
	19 mm
	22,2 mm
	41 - 47 Nm
	0,55 kg
Seal and nut kit - Coil	Viton: 990-770-006
Seal kit - Cartridge	Buna: 990-511-007
Seal kit - Cartridge	Viton: 990-511-006

OPTION SELECTION EXAMPLE: PRDMXDN

	(X)	(D)	(N)
X	D 400 - 200 psi (14 - 28 bar)	N	
	B 1000 - 400 psi (28 - 70 bar)	V	224NX01 DIN 43650 A 24 VDC (TVS) XMD-01
	E 200 - 100 psi (7 - 14 bar)		224NX02 DIN 43650 A 24 VDC (TVS) XMD-02
	S 100 - 10 psi (0,7 - 7 bar)		912NX01 Deutsch DT04-2P 12 VDC (TVS) XMD-01
			912NX02 Deutsch DT04-2P 12 VDC (TVS) XMD-02
			924NX01 Deutsch DT04-2P 24 VDC (TVS) XMD-01
			924NX02 Deutsch DT04-2P 24 VDC (TVS) XMD-02

TECHNICAL FEATURES

- 3 3000 psi (210 bar)
- 3 1:1 3000 psi 210 bar
- 0.1 gpm(0,4 L/)
- 100-250 HZ
- Sun
- / / 3
- 1 2
- Sun /

PERFORMANCE CURVES



