





**CONFIGURATION OPTIONS**

**Model Code Example: YGFBXANXN**

CONTROL (X)	FLOW SPLIT (A)	SEAL MATERIAL (N)	ORIFICE PART DESIGNATION(X)	PORT AND MATERIAL DESIGNATION (N)
<b>X</b> Not Adjustable	<b>A</b> 50/50	<b>N</b> Buna-N <b>V</b> Viton	<b>X</b> Slip @ 3000 psi = 36.67 gpm (with FSFH primary cartridge, Alta capacidad , centro cerrado, divisor / combinador de caudal válvula ) <b>A</b> Slip @ 3000 psi = 0 gpm (with FSFH primary cartridge, Alta capacidad , centro cerrado, divisor / combinador de caudal válvula ) <b>T</b> Slip @ 3000 psi = 12.33 gpm (with FSFH primary cartridge, Alta capacidad , centro cerrado, divisor / combinador de caudal válvula ) <b>Y</b> Slip @ 3000 psi = 64.85 gpm (with FSFH primary cartridge, Alta capacidad , centro cerrado, divisor / combinador de caudal válvula ) <b>Z</b> No Orifice Plug Installed (with FSFH primary cartridge, Alta capacidad , centro cerrado, divisor / combinador de caudal válvula )	<b>N</b> Ports 2, 3, 4 — SAE 20; Gage Ports (Plugged) — SAE 8; Aluminum <b>5</b> Port 3 — 1 1/4 in. Code 62; Ports 2 & 4 — 1" Code 62; Gage Ports (Plugged) — SAE 8; Aluminum <b>5/M</b> Port 3 — 1 1/4 in. Code 62; Ports 2 & 4 — 1" Code 62; Gage Ports (Plugged) — SAE 8; Metric Aluminum <b>5/S</b> Port 3 — 1 1/4 in. Code 62; Ports 2 & 4 — 1" Code 62; Gage Ports (Plugged) — SAE 8; Iron <b>5/T</b> Port 3 — 1 1/4 in. Code 62; Ports 2 & 4 — 1" Code 62; Gage Ports (Plugged) — SAE 8; Metric Iron <b>E</b> Ports 2, 3, 4 — 1" NPTF; Gage Ports (Plugged) — SAE 8; Aluminum <b>E/S</b> Ports 2, 3, 4 — 1" NPTF; Gage Ports (Plugged) — SAE 8; Iron <b>F</b> Ports 2, 3, 4 — 1 1/4" NPTF; Gage Ports (Plugged) — SAE 8; Aluminum <b>F/S</b> Ports 2, 3, 4 — 1 1/4" NPTF; Gage Ports (Plugged) — SAE 8; Iron <b>M</b> Ports 2, 3, 4 — SAE 16; Gage Ports (Plugged) — SAE 8; Aluminum <b>M/S</b> Ports 2, 3, 4 — SAE 16; Gage Ports (Plugged) — SAE 8; Iron <b>N/S</b> Ports 2, 3, 4 — SAE 20; Gage Ports (Plugged) — SAE 8; Iron <b>Q</b> Port 3 — 1 1/4" Code 61 ; Ports 2 & 4 — 1" Code 61; Gage Ports (Plugged) — SAE 8; Aluminum

**PORT AND MATERIAL  
DESIGNATION (N)**

- Q/M** Port 3 — 1 1/4" Code 61 ; Ports 2 & 4 — 1" Code 61; Gage Ports (Plugged) — SAE 8; Metric Aluminum
- Q/S** Port 3 — 1 1/4" Code 61 ; Ports 2 & 4 — 1" Code 61; Gage Ports (Plugged) — SAE 8; Iron
- Q/T** Port 3 — 1 1/4" Code 61 ; Ports 2 & 4 — 1" Code 61; Gage Ports (Plugged) — SAE 8; Metric Iron
- X** Ports 2, 3, 4 — 1" BSPP; Gage Ports (Plugged) — SAE 8; Aluminum
- X/S** Ports 2, 3, 4 — 1" BSPP; Gage Ports (Plugged) — SAE 8; Iron
- Y** Ports 2, 3, 4 — 1 1/4" BSPP; Gage Ports (Plugged) — SAE 8; Aluminum
- Y/S** Ports 2, 3, 4 — 1 1/4" BSPP; Gage Ports (Plugged) — SAE 8; Iron

**INCLUDED COMPONENTS**

Part	Description	Quantity
280-040-094*	Orifice	2
A330-006-008*	SAE Plug	2
FSFHAN	Cartridge - Primary	1