



TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

| | |
|--|---------|
| | |
| | 10,7 mm |
| | Through |
| | 2 |

CONFIGURATION OPTIONS

Model Code Example: YGFBXANXN

| (X) | (A) | (N) | ORIFICE PART DESIGNATION(X) | PORT AND MATERIAL DESIGNATION (N) |
|----------|----------------|---------------|---|--|
| X | A 50/50 | N V | <p>X Slip @ 3000 psi = 36.67 gpm (with FSFH primary cartridge, , , -</p> <p>A Slip @ 3000 psi = 0 gpm (with FSFH primary cartridge, , , -</p> <p>T Slip @ 3000 psi = 12.33 gpm (with FSFH primary cartridge, , , -</p> <p>Y Slip @ 3000 psi = 64.85 gpm (with FSFH primary cartridge, , , -</p> <p>Z No Orifice Plug Installed (with FSFH primary cartridge, , , -</p> | <p>N Ports 2, 3, 4 — SAE 20; Gage Ports (Plugged) — SAE 8; Aluminum</p> <p>5 Port 3 — 1 1/4 in. Code 62; Ports 2 & 4 — 1" Code 62; Gage Ports (Plugged) — SAE 8; Aluminum</p> <p>5/M Port 3 — 1 1/4 in. Code 62; Ports 2 & 4 — 1" Code 62; Gage Ports (Plugged) — SAE 8; Metric Aluminum</p> <p>5/S Port 3 — 1 1/4 in. Code 62; Ports 2 & 4 — 1" Code 62; Gage Ports (Plugged) — SAE 8; Iron</p> <p>5/T Port 3 — 1 1/4 in. Code 62; Ports 2 & 4 — 1" Code 62; Gage Ports (Plugged) — SAE 8; Metric Iron</p> <p>E Ports 2, 3, 4 — 1" NPTF; Gage Ports (Plugged) — SAE 8; Aluminum</p> <p>E/S Ports 2, 3, 4 — 1" NPTF; Gage Ports (Plugged) — SAE 8; Iron</p> <p>F Ports 2, 3, 4 — 1 1/4" NPTF; Gage Ports (Plugged) — SAE 8; Aluminum</p> <p>F/S Ports 2, 3, 4 — 1 1/4" NPTF; Gage Ports (Plugged) — SAE 8; Iron</p> <p>M Ports 2, 3, 4 — SAE 16; Gage Ports (Plugged) — SAE 8; Aluminum</p> <p>M/S Ports 2, 3, 4 — SAE 16; Gage Ports (Plugged) — SAE 8; Iron</p> <p>N/S Ports 2, 3, 4 — SAE 20; Gage Ports (Plugged) — SAE 8; Iron</p> <p>Q Port 3 — 1 1/4" Code 61 ; Ports 2 & 4 — 1" Code 61; Gage Ports (Plugged) — SAE 8; Aluminum</p> |

**PORT AND MATERIAL
DESIGNATION (N)**

- Q/M** Port 3 — 1 1/4" Code 61 ; Ports 2 & 4 — 1" Code 61; Gage Ports (Plugged) — SAE 8; Metric Aluminum
- Q/S** Port 3 — 1 1/4" Code 61 ; Ports 2 & 4 — 1" Code 61; Gage Ports (Plugged) — SAE 8; Iron
- Q/T** Port 3 — 1 1/4" Code 61 ; Ports 2 & 4 — 1" Code 61; Gage Ports (Plugged) — SAE 8; Metric Iron
- X** Ports 2, 3, 4 — 1" BSPP; Gage Ports (Plugged) — SAE 8; Aluminum
- X/S** Ports 2, 3, 4 — 1" BSPP; Gage Ports (Plugged) — SAE 8; Iron
- Y** Ports 2, 3, 4 — 1 1/4" BSPP; Gage Ports (Plugged) — SAE 8; Aluminum
- Y/S** Ports 2, 3, 4 — 1 1/4" BSPP; Gage Ports (Plugged) — SAE 8; Iron

INCLUDED COMPONENTS

| Part | Description | Quantity |
|---------------|---------------------|----------|
| 280-040-094* | Orifice | 2 |
| A330-006-008* | SAE Plug | 2 |
| FSFHAN | Cartridge - Primary | 1 |