



TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Body Type	montaje en línea
Control Flow Range	1 - 200 L/min.
Mounting Hole Diameter	8.6 mm
Mounting Hole Depth	Through
Mounting Hole Quantity	2

CONFIGURATION OPTIONS

Model Code Example: YRDLAWNNLK

CONTROL (L)	ADJUSTMENT RANGE (A)	ADJUSTMENT RANGE (W)	SEAL MATERIAL (N)	SEAL MATERIAL (N)	CONTROL LETTER(S) OF SUBORDINATE CARTRIDGE (L)	PORT AND MATERIAL DESIGNATION (K)
L Standard Screw Adjustment	A 100 - 3000 psi (7 - 21.0 bar), 1000 psi (70 bar) Standard Setting	W 100 - 5000 psi (7 - 350 bar) D 25 - 3000 psi (1,7 - 21.0 bar)	N Buna-N V Viton	N Buna-N V Viton	L Tuning Adjust (with RPEC primary cartridge, Pilot-operated, pistón balanceado alivio válvula) X Non-Adjustable (with RPEC primary cartridge, Pilot-operated, pistón balanceado alivio válvula) L Tuning Adjust (with RPEC8 primary cartridge, Pilot-operated, pistón balanceado alivio módulo principal con cavidad de control T-8A integral) X Non-Adjustable (with RPEC8 primary cartridge, Pilot-operated, pistón balanceado alivio módulo principal con cavidad de control T-8A integral)	K Ports EF & P — SAE 10; Ports CF & T — SAE 8; Gage Port — 1/4" NPTF; Aluminum A Ports EF & P — 1/4" NPTF; Ports CF & T — 1/4" NPTF; Gage Port — 1/4" NPTF; Aluminum A/S Ports EF & P — 1/4" NPTF; Ports CF & T — 1/4" NPTF; Gage Port — 1/4" NPTF; Iron B Ports EF & P — 3/8" NPTF; Ports CF & T — 3/8" NPTF; Gage Port — 1/4" NPTF; Aluminum B/S Ports EF & P — 3/8" NPTF; Ports CF & T — 3/8" NPTF; Gage Port — 1/4" NPTF; Iron C Ports EF & P — 1/2" NPTF; Ports CF & T — 3/8" NPTF; Gage Port — 1/4" NPTF; Aluminum C/S Ports EF & P — 1/2" NPTF; Ports CF & T — 3/8" NPTF; Gage Port — 1/4" NPTF; Iron

**PORT AND
MATERIAL
DESIGNATION (K)**

I Ports EF
& P —
SAE 6; Ports
CF & T
— SAE 6;
Gage Port —
1/4" NPTF;
Aluminum

I/S Ports EF
& P —
SAE 6; Ports
CF & T
— SAE 6;
Gage Port —
1/4" NPTF;
Iron

J Ports EF
& P —
SAE 8; Ports
CF & T
— SAE 8;
Gage Port —
1/4" NPTF;
Aluminum

J/S Ports EF
& P —
SAE 8; Ports
CF & T
— SAE 8;
Gage Port —
1/4" NPTF;
Iron

K/S Ports EF
& P —
SAE 10;
Ports CF
& T —
SAE 8; Gage
Port — 1/4"
NPTF; Iron

T Ports EF
& P —
1/4" BSPP;
Ports CF
& T —
1/4" BSPP;
Gage Port —
1/4" BSPP;
Aluminum

T/S Ports EF
& P —
1/4" BSPP;
Ports CF
& T —
1/4" BSPP;
Gage Port —
1/4" BSPP;
Iron

U Ports EF
& P —
3/8" BSPP;
Ports CF
& T —
3/8" BSPP;
Gage Port —
1/4" BSPP;
Aluminum

U/S Ports EF
& P —
3/8" BSPP;
& T —