



TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Body Type	montaje en línea
Capacity	120 L/min.
Control Flow Range	1 - 200 L/min.
Mounting Hole Diameter	10,4 mm
Mounting Hole Depth	Through
Mounting Hole Quantity	2

OPTION SELECTION EXAMPLE: YREMLAWNLL

CONTROL (L)	ADJUSTMENT RANGE (A)	ADJUSTMENT RANGE (W)	SEAL MATERIAL (N)	SEAL MATERIAL (N)	CONTROL LETTER(S) OF SUBORDINATE CARTRIDGE (L)	PORT AND MATERIAL DESIGNATION (L)
L Standard Screw Adjustment	A 100 - 3000 psi (7 - 210 bar), 1000 psi (70 bar) Standard Setting	W 100 - 5000 psi (7 - 350 bar) D 25 - 3000 psi (1,7 - 210 bar)	N Buna-N V Viton	N Buna-N V Viton	L Tuning Adjust (with RPEC primary cartridge, Pilot- operated, pistón balanceado alivio válvula) X Non-Adjustable (with RPEC primary cartridge, Pilot- operated, pistón balanceado alivio válvula) L Tuning Adjust (with RPEC8 primary cartridge, Pilot- operated, pistón balanceado alivio módulo principal con cavidad de control T-8A integral) X Non-Adjustable (with RPEC8 primary cartridge, Pilot- operated, pistón balanceado alivio módulo principal con cavidad de control T-8A integral)	L Ports EF & P — SAE 12; Ports CF & T — SAE 10; Gage Port — 1/4" NPTF; Aluminum C Ports EF & P — 1/2" NPTF; Ports CF & T — 1/2" NPTF; Gage Port — 1/4" NPTF; Aluminum C/S Ports EF & P — 1/2" NPTF; Ports CF & T — 1/2" NPTF; Gage Port — 1/4" NPTF; Iron D Ports EF & P — 3/4" NPTF; Ports CF & T — 1/2" NPTF; Gage Port — 1/4" NPTF; Aluminum D/S Ports EF & P — 3/4" NPTF; Ports CF & T — 1/2" NPTF; Gage Port — 1/4" NPTF; Iron K Ports EF & P — SAE 10; Ports CF & T — SAE 10; Gage Port — 1/4" NPTF; Aluminum K/S Ports EF & P — SAE 10; Ports CF & T — SAE 10; Gage Port — 1/4" NPTF; Iron

**PORT AND
MATERIAL
DESIGNATION (L)**

L/S Ports EF
& P —
SAE 12;
Ports CF
& T —
SAE 10;
Gage Port
— 1/4"
NPTF; Iron

V Ports EF
& P —
1/2" BSPP;
Ports CF
& T —
1/2" BSPP;
Gage Port
— 1/4"
BSPP;
Aluminum

V/S Ports EF
& P —
1/2" BSPP;
Ports CF
& T —
1/2" BSPP;
Gage Port
— 1/4"
BSPP; Iron

W Ports EF
& P —
3/4" BSPP;
Ports CF
& T —
1/2" BSPP;
Gage Port
— 1/4"
BSPP;
Aluminum

W/S Ports EF
& P —
3/4" BSPP;
Ports CF
& T —
1/2" BSPP;
Gage Port
— 1/4"
BSPP; Iron