



## CONFIGURATION

- NOTES:**  
Modifier
- Stack height value in technical data table includes seal retainer plate.
  - Important:** Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

### MODIFIER

(Y)

|            |  |
|------------|--|
| <b>/Y</b>  | 65-45-12 Ductile Iron, Viton, Dewatering Oil   |
|            | 6061-T651 Aluminum, Buna-N   |
| <b>/11</b> | 6061-T651 Aluminum, Buna-N, Clear Anodize - Per MIL SPEC 8625F Type II, Class I          |
| <b>/10</b> | 6061-T651 Aluminum, Buna-N, Black Anodize - Per MIL SPEC 8625F Type II, Class II         |
| <b>/V</b>  | 6061-T651 Aluminum, Viton  |
| <b>/16</b> | 6061-T651 Aluminum, Viton, Clear Anodize - Per MIL SPEC 8625F Type II, Class I           |
| <b>/15</b> | 6061-T651 Aluminum, Viton, Black Anodize - Per MIL SPEC 8625F Type II, Class II          |
| <b>/M</b>  | 6061-T651 Aluminum, Metric, Buna-N   |
| <b>/1B</b> | 6061-T651 Aluminum, Metric, Buna-N, Clear Anodize - Per MIL SPEC 8625F Type II, Class I  |
| <b>/1A</b> | 6061-T651 Aluminum, Metric, Buna-N, Black Anodize - Per MIL SPEC 8625F Type II, Class II |
| <b>/Z</b>  | 6061-T651 Aluminum, Metric, Viton  |
| <b>/1G</b> | 6061-T651 Aluminum, Metric, Viton, Clear Anodize - Per MIL SPEC 8625F Type II, Class I   |
| <b>/1F</b> | 6061-T651 Aluminum, Metric, Viton, Black Anodize - Per MIL SPEC 8625F Type II, Class II  |
| <b>/S</b>  | 65-45-12 Ductile Iron, Buna-N, Dewatering Oil  |
| <b>/S4</b> | 65-45-12 Ductile Iron, Buna-N, Chem. Black   |
| <b>/S3</b> | 65-45-12 Ductile Iron, Buna-N, Trivalent Clear Zinc with Top Sealer                      |
| <b>/Y4</b> | 65-45-12 Ductile Iron, Viton, Chem. Black  |
| <b>/Y3</b> | 65-45-12 Ductile Iron, Viton, Trivalent Clear Zinc with Top Sealer                       |
| <b>/T</b>  | 65-45-12 Ductile Iron, Metric, Buna-N, Dewatering Oil                                    |
| <b>/T4</b> | 65-45-12 Ductile Iron, Metric, Buna-N, Chem. Black                                       |
| <b>/T3</b> | 65-45-12 Ductile Iron, Metric, Buna-N, Trivalent Clear Zinc with Top Sealer              |
| <b>/W</b>  | 65-45-12 Ductile Iron, Metric, Viton, Dewatering Oil                                     |
| <b>/W4</b> | 65-45-12 Ductile Iron, Metric, Viton, Chem. Black  |
| <b>/W3</b> | 65-45-12 Ductile Iron, Metric, Viton, Trivalent Clear Zinc with Top Sealer               |